



Test results

Nói-Sirius hf.
Hesthálsi 2-4
110 Reykjavík

Report no. : 25411-23
Sample type: Food
Date of reception : 7.2.2023
Date of analysis : 8.2.2023
Sampling: Nói-Sirius hf.
Contact: Una Jóhannsdóttir
Establishment : Nói-Sirius hf. - Hesthálsi 2-4

Sample no.	Measurement	Result	Unit	Method
23-1631	Sirius 70%			
	Lead (Pb)	0,09	mg/kg	DIN EN 15763:2010 (2010-04), mod., CON-PV 01274 (2022-06), ICP-MS
	Cadmium (Cd)	0,06	mg/kg	DIN EN 15763:2010 (2010-04), mod., CON-PV 01274 (2022-06), ICP-MS
23-1632	Sirius 45%			
	Lead (Pb)	< 0,05	mg/kg	DIN EN 15763:2010 (2010-04), mod., CON-PV 01274 (2022-06), ICP-MS
	Cadmium (Cd)	0,02	mg/kg	DIN EN 15763:2010 (2010-04), mod., CON-PV 01274 (2022-06), ICP-MS
23-1633	Traditional 33%			
	Lead (Pb)	< 0,05	mg/kg	DIN EN 15763:2010 (2010-04), mod., CON-PV 01274 (2022-06), ICP-MS
	Cadmium (Cd)	< 0,01	mg/kg	DIN EN 15763:2010 (2010-04), mod., CON-PV 01274 (2022-06), ICP-MS

Measurement remarks:

The analysis of Cadmium (Cd) was made by Eurofins, Germany.
The analysis of Lead (Pb) was made by Eurofins, Germany.

Kópavogur, 15.2.2023

This is electronically generated laboratory report
and has been checked and approved.
It is valid without signature.

Magnús Snær Árnason
Specialist